UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	KIMRAY, INC.		
MANUFACTURERS ADDRESS:	52 N.W 42nd Street	Oklahoma City, OK 73118	U.S.A (405) 525-8601
PLANT LOCATIONS:	Oklahoma City		
CATEGORY OF FITTH	NGS TO BE REGISTERED.	CIRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CUNSTRUCTION
H Pressure retaining component	noctions, and hose assemblie and aleem trapa pressure gauges, level gauge ure relief devices acceptable ing and fusible plugs te that do not fall into one of t	a: all typea a, sight glosses, levels, or as primary over pressure protection	
SHOW MANDPACTORERS NAM	KIMRA	AS IT WILL APPEAR ON THE PR	FORGED WELDED WROUGHT () CAST OTHER OSECRIBE OTHER:
Kimray Drawing CRN012015, C Quality Certification ISO 9001:2	RN012015-CODE, CRN0120	CATION OF THE ACTUAL ITEMS T 015-BOM Rev. A-01; ASME Calculat	TO BE REGISTERED; tlons, Material Specifications, and
my knowledge represents the temperature ratings, and iden manufacture of these fittings or in part and has been verified declaration conscientiously but Signature of Declarer: Declared before me at	product for which registre tification markings are in a less described by a Quality Certain to be 150 0001:2008 effecting it to be true, and the Oklahoma Citeman AD 2	nnly declare that the information ation is sought. The dimensions, accordance with the herein name control Program which extends to as being suita knowing that It is of the same for U.S.E.	and being the person having full authority and contained in this form is true and to the best of materials of construction, pressure ed standards. I further declare that the each plant where fabrication occurs in whole able for that purpose and I make this solemn and effect as if made under oath. THIS SPACE FOR A 1982 FOR A 198
This CRN: OC15610.2	registration must be reve	space for Regulatory Authority use Ildated after ten (10) years from	the date of acceptance. ACCEPTED
3.111		PROVINC	EE OF PRINCE EDWARD ISLAND
FID#:			ONMENT, LABOUR & JUSTICE
Notes: 1. All fittings shall be registered. 2. Each category shall be supforms and one copy of support. 3. The declaration shall be made responsibility for the quality of 4. Quality control programs shall a maximum interval of five (ported with two Statutory Der ling documentation. ade by the person having full the end product. hall be resubmitted for validat	cturer. claration authority and lon C.R.N. DATE: INSRE	OCISGIA. 29 COLOR SERVICES SECTION OFRESSURE VESSEL BRANCH 1 06/2003

NEW BRUNSWICK	
NUNAVUT	

NOVA SCOTIA YUKON

PRINCE EDWARD ISLAND NORTHWEST TERRITORIES NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME:	KIMRAY, INC.			
MANUFACTURERS ADDRESS:	52 N.W 42nd Street	Oklahoma City, OK 73118	U.S.A	(405) 525-6801
PLANT LOCATIONS:	Oklahoma City			
CATEGORY OF FITTI	NGS TO BE REGISTERED	D. CIRCLE ONE CATEGORY ONLY		TITLE OF THE STANDARD OF CONSTRUCTION
H Pressure retaining component	nections, and hose assemb and steam traps pressure gauges, level gau ture relief devices acceptab ling and fusible plugs ate that do not fall into one o	olies: all types iges, sight glasses, levels, or ole as primary over pressure protection		ASME B13.3-2012 / B16.34-2013
ISHOW MANUFACTURERS NAM	ME TRADEMARK OR LO	GO AS IT WILL ADDEAD ON THE O	DODUOT	TYOU OF COMPANY OF THE

VILL APPEAR ON THE PRODUCT

TYPE OF CONSTRUCTION

FORGED WELDED WROUGHT CAST OTHER O DESCRIBE OTHER

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

Kimray Drawing CRN012015, CRN012015-CODE, CRN012015-BOM Rev. A-01; ASME Calculations, Material Specifications, and Quality Certification ISO 9001:2008 & API Spec Q1.

	ECLARATION:	
١	Thomas Hill	

(see note 3) employed by KIMRAY. INC. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these filtings is legalated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by SO 9001:2008 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Decigrer:

Declared before me This Bixth

day of

City, ac

2015

Commissioner of Oaths

or Notary Public: (sign) Yorooke X . Chatham



This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

OC15610.2 CRN:

FID#: 2908

Notes:

- 1. All fillings shall be registered in the name of the Manufacturer.
- 2. Each category shall be supported with two Statutory Declaration. forms and one copy of supporting documentation.
- 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- 4. Quality control programs shall be resubmitted for validation
- at a maximum interval of five (5) years.



Sect. 1.0 - Fillings Rev. 1 06/2003

NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	KIMRAY, INC.		
MANUFACTURERS ADDRESS:	52 N.W 42nd Street	Oklahoma City, OK 73118	U.S.A (405) 525-6601
PLANT LOCATIONS:	Oklahoma City		
CATEGORY OF FITTI	NGS TO BE REGISTERED.	CIRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCT C
A Pipe fittings, including couplin B Flanges: all flanges Valves: all line valves D Expansion joints, flexible conr E Strainers, filters, separators, a F Measuring devices, including pressure transmitters G Certified capacity-rated press boilers, pressure vessels, pip H Pressure retaining componen	nections, and hose assemblies and steam traps pressure gauges, level gauges ure relief devices acceptable a ing and fusible plugs	all types , sight glasses, levels, or s primary over pressure protection	ASME B13.3-2012 / B16.34-2013
		Meeting CNSC or ASME requiremen	nts)
		AS IT WILL APPEAR ON THE PR	
	KIMRA	Y	FORGED WELDED WROUGHT CAST OTHER DESCRIBE OTHER
		ATION OF THE ACTUAL ITEMS T 5-BOM Rev. A-01; ASME Calculati	
my knowledge represents the temperature ratings, and iden manufacture of these fittings or in part and has been verifie	product for which registrat tification markings are in a segulated by a Quality Co of by ISO 9001:2008	nly declare that the information ion is sought. The dimensions, coordance with the herein name ontrol Program which extends to as being suital	and being the person having full authority contained in this form is true and to the bes materials of construction, pressure a standards. I further declare that the each plant where fabrication occurs in who ble for that purpose and I make this solemn the each effect as if made under oath.
Signature of Declarer:	Mering it to be title, and ki	lowing that it is or the same force	se and effect as it made under oath.
Declared before me at \	Johlahoma city	, OK USES	THIS SPEND BY MANA
	May AD 20		ω EXP. 11.
Commissioner of Oaths or Notary Public: (sign) 101	0		BrunsWick
	This sp	pace for Regulatory Authority use	DEPT OF PUBLIC SAFETY BOILER & PRESSURE VESSEL ACT
This	registration must be revali	dated after ten (10) years from t	he date of acceptance.
CRN: 0C15610.2			MEGISTRATION ONLY
FID#: 2908	-		CRN / han Caron
Notes: 1. All fittings shall be registere			for CHIEF BOILER INSPECTOR
Each category shall be sup forms and one copy of support	나가 이렇게 많다 있다고 있어 나가 되어야 할 때 맛이 가지 않는데 하는데 하는데 하는데 나를 하는데 나를 했다.	aration	: - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -
The declaration shall be ma responsibility for the quality of	ide by the person having full a	uthority and	DATE: 6/05/2015
Quality control programs sh at a maximum interval of five (n	BLRs PVs Sect. 1.0 - Fittings Rev. 1 06/2
			FITTINGS GEMPONENTS

EW BRUNSWICK IUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	KIMRAY, INC.		
MANUFACTURERS ADDRESS:	52 N.W 42nd Street	Oklahoma City, OK 73118 U.	S.A (405) 525-6601
PLANT LOCATIONS:	Oklahoma City		
CATEGORY OF FITTI	NGS TO BE REGISTERED	CIRCLE ONE CATEGORY ONLY	LITTLE OF THE STANDARD OF CONSTRUCTION
bollers, pressure vessels, pipi	nections, and hose assemble and steam traps pressure gauges, level gaug ure relief devices acceptable ing and fusible plugs	es: all types es, sight glasses, tevels, or a as primary over pressure protection on	ASME B13.3-2012 / B16.34-2013
Pressure retaining component		28. Nov. = 18.00 (18.18. C) C.	
		(Meeting CNSC or ASME requirements	•
HOW MANUFACTURERS NAM	HE, TRADEMARK, OR LOC	O AS IT WILL APPEAR ON THE PROD	
	KIMRA	Y Y	FORCED WELDED WAQUENT CAST OTHER OESCRIBE OTHER.
LIST OF SUPPORTING DOCU	MENTATION AND IDENTIF	CATION OF THE ACTUAL ITEMS TO	BE DECISTEDED.
Kimray Drawing CRN012015, C	RN012015-CODE, CRN01:	2015-BOM Rev. A 01; ASME Calculation	os Material Specifications and
DECLARATION: Thomas Hill responsibility for the quality of	f the end product do sole	emnly declare that the information co	and being the person having full authority a ontained in this form is true and to the best
my knowledge represents the lemperature ratings, and ider manufacture of these fittings or in part and has been verifi	e product for which regist htification markings are in is regulated by a Quality ed by ISO 9001 2008	ration is sought. The dimensions, managed accordance with the herein named Control Program which extends to a	naterials of construction, pressure standards. I further declare that the each plant where fabrication occurs in whole e for that purpose and I make this solemn and effect as if made under oath
Signature of Declarer:			WIND STORY OF THE K. (
Declared before ma at	olulahoma cit		HIS SPAUE Ft. 14010
This Bixth day of _	May AD_	2015	FFICIAL SESSEE TO BER 11/1
Commissioner of Oaths or Notary Public: (sign) 121	ooke K. Chathan	~	And OF O
TOTAL CONTRACTOR OF THE PARTY O		s space for Regulatory Authority use	- 10 M
Thi	s registration must be re-	validated after ten (10) years from th	e date of acceptance
CRN: 0C15610.2	2		- Newfoundland Lahrador
FID#:2908			Service NL
F10#29UA			Registered 06.15610.20
Notes:			Date
All fittings shall be register Fach estaces about the register			Engineering and Institution Services
2. Each category shall be sur forms and one copy of support		reciaration	Registered by
The declaration shall be mesponsibility for the quality of	ade by the person having f	all authority and	UNDER THE AUTION OF HE
Quality control programs s at a maximum interval of five	hall be resubmitted for valid	fation	PUBLIC SAFETY CO'AND THE BOILER, PRESSURE VESSEL AND COMPRESSEL L'OAS RINGE RAYALSO6/2

A (405) 525-6601
TITLE OF THE STANDARD OF CONSTRUCTION
ASME B13.3-2012 / B16.34-2013
CT TYPE OF CONSTRUCTION
FORGED WELDED WROUGHT CAST OTHER DESCRIBE OTHER
d being the person having full authority ained in this form is true and to the beserials of construction, pressure andards. I further declare that the chiplant where fabrication occurs in who or that purpose and I make this solemn and effect as if made under oath.
FICE DE SUBSTITUTE DE SUBSTITU
F C C D S C C C C C C C C C C C C C C C C
I IEVD
S EXP. 11
F C C D S C C C C C C C C C C C C C C C C

Sect. 1.0 - Filtings Rev. 1 06/2003

UNIFORM STATE	JTORY DECLARATI	ON FORM FOR THE REGISTE			
	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	RATION	OF FITTING DES	SIGNS ND LABRADOR
MANUFACTURERS NAME:	KIMRAY, INC.				
MANUFACTURERS ADDRESS:	52 N.W 42nd Stroet	Oklahama City City			
PLANT LOCATIONS:	Oklahama Cliv	Oklahoma City, OK 73118	U.S.A	(406) 525-6601	
CATEGORY OF FITTIN	GS TO BE DECISTEDES	CIRCLE ONE CATEGORY ONLY			
B Flangos: all flanges O Valves: all line valves D Expansion Joints, floxible connot E Strainers (librate constant)	octions, and hose assemb	, unions, pipo caps, or roducars		ASME B13.3-2012 /	OF CONSTRUCTION B16.34-2013
pressure transmitters G Cortifled capacity-rated pressure	ressure gauges, lavel gaug re railef dovices acceptabl	e as primary over pro	on	*1	
L'ICOSCIE INITIAL COMPONANTE	that do not fall !				
			1		
MANUFACTURERS NAME	TRADEMARK, OR LOG	(Mooting CNSC or ASME requirement O AS IT WILL APPEAR ON THE PRO	11(5)		
	# F T \ / -	-AN ON THE PRO	DOUCT	TYPE OF CON	THUCTION
8	KIMR	Ϋ́Υ		FORGED O WELDED O CAST O OTHER O DESCRIBE OTHER:	MHOUGHT [
LIST OF SUPPORTING DOCUME	NTATION AND IDENTIFE	CATION OF THE ACTUAL ITEMS TO			i
Kimray Drawing CRN012015, CRN	1012015-CODE, CRN0120	CATION OF THE ACTUAL ITEMS TO 015-BOM Rov. A-01; ASME Calculatio	BEREGI	STERED:	
ECLARATION:					
in part and has been works	galated by a Quality Co	nly declare that the information co- lion is sought. The dimensions, mi ecordance with the herein named s partrol Program which extends to pa	standards	s. I further declare t	sure hat the occurs in whole this solemn oath.
clared before ma at	Ollahoma city,				MINIONE K. CAMON
is fixth day of me			415 S	PAUS FO	6411
mmissioner of Oaths Notary Public: (sign) <u>Prepolar</u>	0	01	FFIC.	IAL Seat	# 14010227 EXP. 11/13/18 OU CLC
This regi	This spa	ace for Regulatory Authority use ated after ten (10) years from the o			The OK OKL
RN: 0C15610.2		site (10) years from the c	date of the	Con rec	
ID#:2908			Northwe Terri	isl lories	
olos: All fittings shall be registered in the Each category shall be supported that and one copy of supporting do. The declaration shall be made by sponsibility for the quality of the one Quality control programs shall be a maximum intended.	with two Statutory Declara cumentation. the person having full autr	er. UNDER 1	EGIST THE AL LER AN ÆSSEL	TERED JTHORITY OF ND PRESSURE ACT.	163
a maximum interval of five (5) year	6.	SIGNED DATE JU	ne		Rev. 1 06/2003

A F USASAGO, LE TURBO TOMANTE

EW BRUNSWICK UNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAN NORTHWEST TERRITOR		NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	KIMRAY, INC.			
MANUFACTURERS ADDRESS:	52 N.W 42nd Street	Oklahoma City, OK 7311	8 U.S.A	(405) 525-6601
PLANT LOCATIONS:	Oklahoma City			
A Pipe fittings, including coupling B Flanges; all flanges Valves: all flanges Expansion joints, flexible connections E Strainers, filters, separators, and Measuring devices, including pressure transmitters G Certified capacity-rated pressibilities, pressure vessels, pip	gs, tees, elbows, Ys, plugs, un rections, and hose assemblie and steam traps pressure gauges, level gauge une relief devices acceptable	es, all types		ASME B13.3-2012 / B16.34-2013
H Pressure retaining componen	is that do not fall into one of I			
N Nuclear components: Class				
SHOW MANUFACTURERS NAM	KIMRA	DASIT WILL APPEAR ON T	HE PRODUCT	FORGED D WELDED D WROUGHT D CAST D OTHER D DESCRIBE OTHER:
my knowledge represents the temperature ratings, and ider manufacture of these fittings or in part and has been verific declaration conscientiously but Signature of Declarer: Declared before me at	product for which registratification markings are in its legalated by a Quality and by ISO 9001:2008 elievity it to be true, and Oulahoma Cita	mnly declare that the information is sought. The dimer accordance with the herelr Control Program which extended as being knowing that if is of the said of the sa	nation containsions, material named stan ends to each g suitable forme force and	dards. I further declare that the plant where fabrication occurs in whole that purpose and I make this solemn effect as if made under oath.
CRN: 0C15610.2 FID#: 2908 Notes: 1. All fittings shall be register. 2. Each category shall be sufforms and one copy of support. 3. The declaration shall be meresponsibility for the quality of 4. Quality control programs sat a maximum interval of five	ed in the name of the Manufa poported with two Statutory De ting documentation, add by the person having ful the end product, hall be resubmitted for valida	acturer. eclaration I authority and	Nunavut	Boilers and Pressure Vessels Ac: REGISTERED C 15610, 2 N Me 05, 2015 Chief his decitions Rev. 1 06/200
			Terri	torial Registration Fee